## USPAT; EPO; JPO; Derwent files searched Monday, May 08, 2000

BRS	USPAT; EPO; JPO; Derwent	Ll	765	polariz\$ adj3 beamsplit\$
BRS	USPAT; EPO; JPO; Derwent	L2	4505	s adj2 polariz\$
BRS	USPAT; EPO; JPO; Derwent	L3	4920	p adj2 polariz\$
BRS	USPAT; EPO; JPO; Derwent	L7	3858	2 AND 3
BRS	USPAT; EPO; JPO; Derwent	L8	145	1 and 7

## Display of L8

Display of L8		
US 4969720 A	EPO	Magneto-optic bypass switch FPD 19901113
US 5486934 A	EPO	Polarization beamsplitter with a substrate-mode holographic structure FPD 19960123
EP 779719 A2	EPO	TITLE DATA NOT AVAILABLE FPD 19970618
WO 9736195 A1	EPO	NONPOLARIZING BEAMSPLITTER FPD 19971002
US 5663793 A	EPO	Homodyne interferometric receiver and calibration method having improved accuracy and functionality FPD 19970902
US 5808798 A	EPO	Nonpolarizing beamsplitter FPD 19980915
JP 63188835 A	ЛО	OPTICAL HEAD FPD 19880804
US 3975102 A	USPAT	Scanning photoelectric autocollimator 356/376
US 3977789 A	USPAT	Scanning differential photoelectric autocollimator 356/394
US 4191456 A	USPAT	Optical block for high brightness full color video projection system 353/31
US 4264986 A	USPAT	Information-recording process & apparatus 365/124
US 4343535 A	USPAT	Liquid crystal light valve 349/9
US 4425028 A	USPAT	High efficiency optical tank for three color liquid crystal light valve image projection with color selective prepolarization and
single projection len		359/246
US 4461542 A	USPAT	High efficiency optical tank for three color liquid crystal light valve image projection with color selective prepolarization
349/8		
US 4500172 A	USPAT	Two color liquid crystal light valve image projection system with single prepolarizer 349/9
US 4504123 A	USPAT	High efficiency polarizing beamsplitter 359/487
US 4544237 A	USPAT	High efficiency optical tank for two-color liquid crystal light valve image projection with color selective prepolarization
349/9		
US 4571712 A	USPAT	Beam alignment signal processing 369/44.33
US 4575238 A	USPAT	Laser-doppler-anemometer 356/28.5
US 4588296 A	USPAT	Compact optical gyro 356/350
US 4609290 A	USPAT	Passive homodyne demodulator and sensor system 356/345
US 4621351 A	USPAT	Beam alignment system 369/44.25
US 4636075 A	USPAT	Particle measurement utilizing orthogonally polarized components of a laser beam 356/336
US 4643575 A	USPAT	Fizeau interferometer 356/351
US 4647966 A	USPAT	Stereoscopic three dimensional large screen liquid crystal display 348/58
US 4688940 A	USPAT	Heterodyne interferometer system 356/349
US 4702603 A	USPAT	Optical phase decoder for interferometers 356/351
US 4718766 A	USPAT	Stabilized ring laser bias system 356/350;
US 4743770 A	USPAT	Profile-measuring light probe using a change in reflection factor in the proximity of a critical angle of light
250/559.22		
US 4749259 A	USPAT	Liquid crystal image projection with multicolor prepolarizing system 349/8
US 4752922 A	USPAT	Optical disk recording and readout system having read, write and coarse light beams 369/32
US 4756622 A	USPAT	Compact apparatus for measuring absorption by a gas 356/437
US 4830472 A	USPAT	Processing unit to perform operation of images 359/256
US 4890901 A	USPAT	Color corrector for embedded prisms 349/194
US 4893932 A	USPAT	Surface analysis system and method 356/369
US 4902125 A	USPAT	Optical system having beam amplification 356/5.09
US 4913529 A	USPAT	Illumination system for an LCD display system 349/9
US 4943155 A	USPAT	Color projection system with a color correction wedge 353/33
US 4969720 A	USPAT	Magneto-optic bypass switch 359/302
US 4978970 A	USPAT	Scanning/recording system with plural beam overlap without interference 347/241
US 4980882 A	USPAT	Optical disk for detesting and distinguishing servo tracks from data tracks 369/275.3
US 5015100 A	USPAT	Apparatus and method for normal incidence reflectance spectroscopy 356/445
US 5032734 A	USPAT	Method and apparatus for nondestructively measuring micro defects in materials 250/559.46
US 5053755 A	USPAT	Automotive head-up display with high brightness in daytime and high contrast in nighttime 345/7
US 5084783 A	USPAT	Focus-error detection using prism-enhanced spot size monitoring 359/640
US 5115305 A	USPAT	Electrically addressable liquid crystal projection system with high efficiency and light output 348/751
US 5136152 A	USPAT	Hybrid optical pickup with integrated power emission and reading photodetectors 257/699
US 5136426 A	USPAT	Light projection apparatus 359/583
US 5162940 A	USPAT	Multiple energy level, multiple pulse rate laser source 359/333
US 5189489 A	USPAT	Interferometric measurement device with non stabilized light source 356/358
US 5198928 A	USPAT	Light weight binocular helmet visor display 359/465
US 5220397 A	USPAT	Method and apparatus for angle measurement based on the internal reflection effect 356/140
US 5245472 A	USPAT	High-efficiency, low-glare X-prism 359/496
US 5249030 A	USPAT	Method and apparatus for determining the position of a moving body and the time of the position measurement
356/349		•
US 5253245 A	USPAT	Optical data storage tracking system 369/119
US 5260565 A	USPAT	Separation of simultaneous events in a laser firing unit using a polarization technique 250/227.15
US 5272550 A	USPAT	Hologram system 359/3
US 5272690 A	USPAT USPAT	Hologram system 359/3 Hologram element system 369/112

	T 700 A 70	250/012
US 5313332 A	USPAT	Flexure suspension for two axis actuator 359/813
US 5319477 A	USPAT	Compact polarization independent optical switching units 349/65
US 5325175 A	USPAT	Solid-block homodyne interferometer 356/351
US 5327338 A	USPAT	Scanning laser lithography system alignment apparatus 347/233
US 5331445 A	USPAT	Increased Bragg angle sensitivity hologram system and method 359/15
US 5345321 A	USPAT	Compact polarization dependent optical switching units 349/5
US 5363228 A	USPAT	Optical device with spatial light modulators for switching arbitrarily polarized light 359/117
US 5383053 A	USPAT	Virtual image display having a high efficiency grid beamsplitter 359/486
US 5400306 A	USPAT	Differential detection assembly for data retrieval from a data storage disk 369/13
US 5410468 A	USPAT	Optical pick-up apparatus 369/103
US 5418380 A	USPAT	Optical correlator using ferroelectric liquid crystal spatial light modulators and Fourier transform lenses
250/550	001.11	obusiness and an arrangement of the state of
US 5418611 A	USPAT	Multi-degree-of-freedom geometric error measurement system 356/141.2
US 5436443 A	USPAT	Polaradiometric pyrometer in which the parallel and perpendicular components of radiation reflected from an unpolarized
		the thermal radiation emitted from a measured object to determine its true temperature 250/225
US 5442483 A	USPAT	Optical viewing instrument for attachment to a gunsight eyepiece 359/638
US 5486934 A	USPAT	Polarization beamsplitter with a substrate-mode holographic structure 359/15
US 5504579 A	USPAT	Multioscillator with combined optical and electronic signal processing 356/350
US 5513023 A	USPAT	Polarizing beamsplitter for reflective light valve displays having opposing readout beams onto two opposing surfaces of the
polarizer	349/9	
US 5515202 A	USPAT	Optical projector arrangement comprising a compensator 359/634
US 5523582 A	USPAT	Method and apparatus for measuring the curvature of wafers with a laser source selecting device 250/559.22
US 5526144 A	USPAT	Optical system with pivoting hologram 359/15
US 5534949 A	USPAT	Two channel field sequential color display system 348/742
US 5537209 A	USPAT	An interferometric measuring system having temperature compensation and improved optical configurations
356/349	001.11	The most of the control in the contr
US 5543914 A	USPAT	Apparatus and methods employing harmonic analysis for measuring the difference in phase between two coherent beams
356/345	USIAI	Apparatus and methods emproying nathronic analysis for measuring the
	TIODATE	0.16 - 6
US 5546187 A	USPAT	Self-referencing laser-based ultrasonic wave receiver 356/357
US 5557324 A	USPAT	Polorization viewer 345/207
US 5557040 A	USPAT	Method and apparatus for precipitation detection and differentiation 73/170.21
US 5561654 A	USPAT	Compact write system for optical tape recording 369/97
US 5583843 A	USPAT	Compound holographic optical element with two superposition hologram patterns for converging and diffracting a light beam
369/103		
US 5590148 A	USPAT	Birefringent beamsplitter for high power lasers and laser applications 372/105
US 5602657 A	USPAT	Hologram system having hologram layers with rotationally offset Bragg planes 359/15
US 5631559 A	USPAT	Method and apparatus for performing magnetic field measurements using magneto-optic kerr effect sensors
324/244.1		
US 5644555 A	USPAT	Multiple data surface magneto-optical data storage system 369/13
US 5658475 A	USPAT	Apparatus for laser texturing disks 219/121.77
		Laser satellite communication system 359/172
US 5659413 A	USPAT	<del></del>
US 5663793 A	USPAT	Homodyne interferometric receiver and calibration method having improved accuracy and functionality
356/351		
	USPAT	Optical pickup apparatus including hologram element 369/44.23
356/351		
356/351 US 5663940 A	USPAT	Optical pickup apparatus including hologram element 369/44.23
356/351 US 5663940 A US 5686990 A	USPAT	Optical pickup apparatus including hologram element Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser  369/44.23  359/334
356/351 US 5663940 A US 5686990 A 356/350	USPAT USPAT	Optical pickup apparatus including hologram element Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser  369/44.23  359/334
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A	USPAT USPAT USPAT USPAT	Optical pickup apparatus including hologram element 369/44.23 Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser 359/334 Holographic optical system including waveplate and aliasing suppression filter 359/15
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A US 5696383 A	USPAT USPAT USPAT	Optical pickup apparatus including hologram element Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser  369/44.23  359/334
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A US 5696383 A 250/559.22	USPAT USPAT USPAT USPAT USPAT	Optical pickup apparatus including hologram element 369/44.23 Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser 359/334 Holographic optical system including waveplate and aliasing suppression filter 359/15 Method and apparatus for measuring the curvature of wafers with beams of different wavelengths
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A US 5696383 A 250/559.22 US 5699160 A	USPAT USPAT USPAT USPAT USPAT USPAT	Optical pickup apparatus including hologram element Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser Holographic optical system including waveplate and aliasing suppression Method and apparatus for measuring the curvature of wafers with beams of Optical apparatus for inspecting laser texture  356/359
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A US 5696383 A 250/559.22 US 5699160 A US 5701326 A	USPAT USPAT USPAT USPAT USPAT USPAT USPAT	Optical pickup apparatus including hologram element 369/44.23 Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser 359/334 Holographic optical system including waveplate and aliasing suppression filter 359/15 Method and apparatus for measuring the curvature of wafers with beams of different wavelengths  Optical apparatus for inspecting laser texture 356/359 Laser scanning system with optical transmit/reflect mirror having reduced received signal loss 372/99
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A US 5696383 A 250/559.22 US 5699160 A US 5701326 A US 5719702 A	USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT	Optical pickup apparatus including hologram element 369/44.23 Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser 359/334 Holographic optical system including waveplate and aliasing suppression filter 359/15 Method and apparatus for measuring the curvature of wafers with beams of different wavelengths  Optical apparatus for inspecting laser texture 356/359 Laser scanning system with optical transmit/reflect mirror having reduced received signal loss 372/99 Polarization-balanced beamsplitter 359/487
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A US 5696383 A 250/559.22 US 5699160 A US 5701326 A US 5719702 A US 5726795 A	USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT	Optical pickup apparatus including hologram element 369/44.23 Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser 359/334 Holographic optical system including waveplate and aliasing suppression filter 359/15 Method and apparatus for measuring the curvature of wafers with beams of different wavelengths  Optical apparatus for inspecting laser texture 356/359 Laser scanning system with optical transmit/reflect mirror having reduced received signal loss 372/99 Polarization-balanced beamsplitter 359/487 Compact phase-conjugate mirror utilizing four-wave mixing in a loop configuration 359/300
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A US 5696383 A 250/559.22 US 5699160 A US 5701326 A US 5719702 A US 5726795 A US 5734504 A	USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT	Optical pickup apparatus including hologram element 369/44.23 Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser 359/334 Holographic optical system including waveplate and aliasing suppression filter 359/15 Method and apparatus for measuring the curvature of wafers with beams of different wavelengths  Optical apparatus for inspecting laser texture 356/359 Laser scanning system with optical transmit/reflect mirror having reduced received signal loss 372/99 Polarization-balanced beamsplitter 359/487 Compact phase-conjugate mirror utilizing four-wave mixing in a loop configuration 359/300 Multi-beam illuminator laser 359/618
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A US 5696383 A 250/559.22 US 5699160 A US 5701326 A US 5719702 A US 5726795 A US 5734504 A US 5736856 A	USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT	Optical pickup apparatus including hologram element 369/44.23 Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser 359/334 Holographic optical system including waveplate and aliasing suppression filter 359/15 Method and apparatus for measuring the curvature of wafers with beams of different wavelengths  Optical apparatus for inspecting laser texture 356/359 Laser scanning system with optical transmit/reflect mirror having reduced received signal loss 372/99 Polarization-balanced beamsplitter 359/487 Compact phase-conjugate mirror utilizing four-wave mixing in a loop configuration 359/300
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A US 5696383 A 250/559.22 US 5699160 A US 5701326 A US 5719702 A US 5726795 A US 5734504 A US 5736856 A 324/244.1	USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT	Optical pickup apparatus including hologram element 369/44.23 Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser 359/334 Holographic optical system including waveplate and aliasing suppression filter 359/15 Method and apparatus for measuring the curvature of wafers with beams of different wavelengths  Optical apparatus for inspecting laser texture 356/359 Laser scanning system with optical transmit/reflect mirror having reduced received signal loss 372/99 Polarization-balanced beamsplitter 359/487 Compact phase-conjugate mirror utilizing four-wave mixing in a loop configuration 359/300 Multi-beam illuminator laser 359/618 Method and apparatus for performing magnetic field measurements using magneto-optic Kerr effect sensors
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A US 5696383 A 250/559.22 US 5699160 A US 5701326 A US 5719702 A US 5726795 A US 5734504 A US 5736856 A 324/244.1 US 5742577 A	USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT	Optical pickup apparatus including hologram element 369/44.23 Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser 359/334 Holographic optical system including waveplate and aliasing suppression filter 359/15 Method and apparatus for measuring the curvature of wafers with beams of different wavelengths  Optical apparatus for inspecting laser texture 356/359 Laser scanning system with optical transmit/reflect mirror having reduced received signal loss 372/99 Polarization-balanced beamsplitter 359/487 Compact phase-conjugate mirror utilizing four-wave mixing in a loop configuration 359/300 Multi-beam illuminator laser 359/618 Method and apparatus for performing magnetic field measurements using magneto-optic Kerr effect sensors  Prism has a plurality of reflective regions each with a predetermined phase difference 369/109
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A US 5696383 A 250/559.22 US 5699160 A US 5701326 A US 5719702 A US 5726795 A US 5734504 A US 5736856 A 324/244.1 US 5742577 A US 5744267 A	USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT	Optical pickup apparatus including hologram element 369/44.23 Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser 359/334 Holographic optical system including waveplate and aliasing suppression filter 359/15 Method and apparatus for measuring the curvature of wafers with beams of different wavelengths  Optical apparatus for inspecting laser texture 356/359 Laser scanning system with optical transmit/reflect mirror having reduced received signal loss 372/99 Polarization-balanced beamsplitter 359/487 Compact phase-conjugate mirror utilizing four-wave mixing in a loop configuration 359/300 Multi-beam illuminator laser 359/618 Method and apparatus for performing magnetic field measurements using magneto-optic Kerr effect sensors
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A US 5696383 A 250/559.22 US 5699160 A US 5701326 A US 5726795 A US 5734504 A US 5736856 A 324/244.1 US 5742577 A US 5744267 A 430/1	USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT	Optical pickup apparatus including hologram element 369/44.23 Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser 359/334 Holographic optical system including waveplate and aliasing suppression filter 359/15 Method and apparatus for measuring the curvature of wafers with beams of different wavelengths  Optical apparatus for inspecting laser texture 356/359 Laser scanning system with optical transmit/reflect mirror having reduced received signal loss 372/99 Polarization-balanced beamsplitter 359/487 Compact phase-conjugate mirror utilizing four-wave mixing in a loop configuration 359/300 Multi-beam illuminator laser 359/618 Method and apparatus for performing magnetic field measurements using magneto-optic Kerr effect sensors  Prism has a plurality of reflective regions each with a predetermined phase difference 369/109 Azo-dye-doped photorefractive polymer composites for holographic testing and image processing
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A US 5696383 A 250/559.22 US 5699160 A US 5701326 A US 5719702 A US 5726795 A US 5734504 A US 5736856 A 324/244.1 US 5742577 A US 5744267 A	USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT	Optical pickup apparatus including hologram element 369/44.23 Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser 359/334 Holographic optical system including waveplate and aliasing suppression filter 359/15 Method and apparatus for measuring the curvature of wafers with beams of different wavelengths  Optical apparatus for inspecting laser texture 356/359 Laser scanning system with optical transmit/reflect mirror having reduced received signal loss 372/99 Polarization-balanced beamsplitter 359/487 Compact phase-conjugate mirror utilizing four-wave mixing in a loop configuration 359/300 Multi-beam illuminator laser 359/618 Method and apparatus for performing magnetic field measurements using magneto-optic Kerr effect sensors  Prism has a plurality of reflective regions each with a predetermined phase difference 369/109 Azo-dye-doped photorefractive polymer composites for holographic testing and image processing  High efficiency homogeneous polarization converter 359/497
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A US 5696383 A 250/559.22 US 5699160 A US 5701326 A US 5726795 A US 5734504 A US 5736856 A 324/244.1 US 5742577 A US 5744267 A 430/1	USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT	Optical pickup apparatus including hologram element 369/44.23 Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser 359/334 Holographic optical system including waveplate and aliasing suppression filter 359/15 Method and apparatus for measuring the curvature of wafers with beams of different wavelengths  Optical apparatus for inspecting laser texture 356/359 Laser scanning system with optical transmit/reflect mirror having reduced received signal loss 372/99 Polarization-balanced beamsplitter 359/487 Compact phase-conjugate mirror utilizing four-wave mixing in a loop configuration 359/300 Multi-beam illuminator laser 359/618 Method and apparatus for performing magnetic field measurements using magneto-optic Kerr effect sensors  Prism has a plurality of reflective regions each with a predetermined phase difference 369/109 Azo-dye-doped photorefractive polymer composites for holographic testing and image processing
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A US 5696383 A 250/559.22 US 5699160 A US 5701326 A US 5719702 A US 5726795 A US 5734504 A US 5734504 A US 5742577 A US 5742577 A US 574267 A 430/1 US 5757547 A US 5767972 A	USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT	Optical pickup apparatus including hologram element Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser  Soly/334 Holographic optical system including waveplate and aliasing suppression filter Optical apparatus for measuring the curvature of wafers with beams of different wavelengths  Optical apparatus for inspecting laser texture Optical apparatus for inspecting laser texture Soly/359 Laser scanning system with optical transmit/reflect mirror having reduced received signal loss Polarization-balanced beamsplitter Soly/487 Compact phase-conjugate mirror utilizing four-wave mixing in a loop configuration Multi-beam illuminator laser Soly/618 Method and apparatus for performing magnetic field measurements using magneto-optic Kerr effect sensors  Prism has a plurality of reflective regions each with a predetermined phase difference Azo-dye-doped photorefractive polymer composites for holographic testing and image processing  High efficiency homogeneous polarization converter Wethod and apparatus for providing data age compensation in an interferometer  356/358
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A US 5696383 A 250/559.22 US 5699160 A US 5701326 A US 5719702 A US 5726795 A US 5734504 A US 5734504 A US 5742577 A US 5742577 A US 5757547 A US 5767972 A US 5767972 A US 5767972 A US 5790433 A	USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT	Optical pickup apparatus including hologram element 369/44.23 Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser 359/334 Holographic optical system including waveplate and aliasing suppression filter 359/15 Method and apparatus for measuring the curvature of wafers with beams of different wavelengths  Optical apparatus for inspecting laser texture 356/359 Laser scanning system with optical transmit/reflect mirror having reduced received signal loss 372/99 Polarization-balanced beamsplitter 359/487 Compact phase-conjugate mirror utilizing four-wave mixing in a loop configuration 359/300 Multi-beam illuminator laser 359/618 Method and apparatus for performing magnetic field measurements using magneto-optic Kerr effect sensors  Prism has a plurality of reflective regions each with a predetermined phase difference 369/109 Azo-dye-doped photorefractive polymer composites for holographic testing and image processing  High efficiency homogeneous polarization converter 359/497 Method and apparatus for providing data age compensation in an interferometer 356/358 Method for controlling laser power in a texturing process
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A US 5696383 A 250/559.22 US 5699160 A US 5701326 A US 5719702 A US 5726795 A US 5734504 A US 5734504 A US 5742577 A US 5744267 A 430/1 US 5757547 A US 5767972 A US 5790433 A US 5793912 A	USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT	Optical pickup apparatus including hologram element 369/44.23 Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser 359/334 Holographic optical system including waveplate and aliasing suppression filter 359/15 Method and apparatus for measuring the curvature of wafers with beams of different wavelengths  Optical apparatus for inspecting laser texture 356/359 Laser scanning system with optical transmit/reflect mirror having reduced received signal loss 372/99 Polarization-balanced beamsplitter 359/487 Compact phase-conjugate mirror utilizing four-wave mixing in a loop configuration 359/300 Multi-beam illuminator laser 359/618 Method and apparatus for performing magnetic field measurements using magneto-optic Kerr effect sensors  Prism has a plurality of reflective regions each with a predetermined phase difference 369/109 Azo-dye-doped photorefractive polymer composites for holographic testing and image processing  High efficiency homogeneous polarization converter 359/497 Method and apparatus for providing data age compensation in an Method for controlling laser power in a texturing process Tunable receiver for a wavelength division multiplexing optical apparatus and method 385/37
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A US 5696383 A 250/559.22 US 5699160 A US 5701326 A US 5719702 A US 5726795 A US 5734504 A US 5734504 A US 5742577 A US 5742577 A US 5744267 A 430/1 US 5757547 A US 5767972 A US 5790433 A US 5793912 A US 5800625 A	USPAT USPAT	Optical pickup apparatus including hologram element 369/44.23 Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser 359/334 Holographic optical system including waveplate and aliasing suppression filter 359/15 Method and apparatus for measuring the curvature of wafers with beams of different wavelengths  Optical apparatus for inspecting laser texture 356/359 Laser scanning system with optical transmit/reflect mirror having reduced received signal loss 372/99 Polarization-balanced beamsplitter 359/487 Compact phase-conjugate mirror utilizing four-wave mixing in a loop configuration 359/300 Multi-beam illuminator laser 359/618 Method and apparatus for performing magnetic field measurements using magneto-optic Kerr effect sensors  Prism has a plurality of reflective regions each with a predetermined phase difference 369/109 Azo-dye-doped photorefractive polymer composites for holographic testing and image processing  High efficiency homogeneous polarization converter 359/497 Method and apparatus for providing data age compensation in an interferometer 356/358 Method for controlling laser power in a texturing process Tunable receiver for a wavelength division multiplexing optical Removal of material by radiation applied at an oblique angle 134/1
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A US 5699180 A 250/559.22 US 5699160 A US 5701326 A US 5719702 A US 5726795 A US 5734504 A US 5734504 A US 5742577 A US 5742577 A US 57547 A US 5767972 A US 5790433 A US 5790433 A US 5793912 A US 5808798 A	USPAT USPAT	Optical pickup apparatus including hologram element 369/44.23 Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser 359/334 Holographic optical system including waveplate and aliasing suppression filter 359/15 Method and apparatus for measuring the curvature of wafers with beams of different wavelengths  Optical apparatus for inspecting laser texture 356/359 Laser scanning system with optical transmit/reflect mirror having reduced received signal loss 372/99 Polarization-balanced beamsplitter 359/487 Compact phase-conjugate mirror utilizing four-wave mixing in a loop configuration 359/300 Multi-beam illuminator laser 359/618 Method and apparatus for performing magnetic field measurements using magneto-optic Kerr effect sensors  Prism has a plurality of reflective regions each with a predetermined phase difference 369/109 Azo-dye-doped photorefractive polymer composites for holographic testing and image processing  High efficiency homogeneous polarization converter 359/497 Method and apparatus for providing data age compensation in an interferometer 356/358 Method for controlling laser power in a texturing process Tunable receiver for a wavelength division multiplexing optical Removal of material by radiation applied at an oblique angle Nonpolarizing beamsplitter 359/583
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A US 5699180 A 250/559.22 US 5699160 A US 5701326 A US 5719702 A US 5734504 A US 5734504 A US 5742577 A US 574267 A 430/1 US 5757547 A US 5767972 A US 5790433 A US 579912 A US 5800625 A US 5808798 A US 588798 A US 5888798 A	USPAT	Optical pickup apparatus including hologram element 369/44.23 Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser 359/334 Holographic optical system including waveplate and aliasing suppression filter 359/15 Method and apparatus for measuring the curvature of wafers with beams of different wavelengths  Optical apparatus for inspecting laser texture 356/359 Laser scanning system with optical transmit/reflect mirror having reduced received signal loss 372/99 Polarization-balanced beamsplitter 359/487 Compact phase-conjugate mirror utilizing four-wave mixing in a loop configuration 359/300 Multi-beam illuminator laser 359/618 Method and apparatus for performing magnetic field measurements using magneto-optic Kerr effect sensors  Prism has a plurality of reflective regions each with a predetermined phase difference 369/109 Azo-dye-doped photorefractive polymer composites for holographic testing and image processing  High efficiency homogeneous polarization converter 359/497 Method and apparatus for providing data age compensation in an Method for controlling laser power in a texturing process Tunable receiver for a wavelength division multiplexing optical Amount apparatus and method 385/37 Removal of material by radiation applied at an oblique angle Nonpolarizing beamsplitter 359/583 Laser texturing apparatus with dual laser paths having an independently adjusted parameter 700/166
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A US 5696383 A 250/559.22 US 5699160 A US 5701326 A US 5719702 A US 5726795 A US 5734504 A US 5736856 A 324/244.1 US 5742577 A US 5744267 A 430/1 US 5757547 A US 5767972 A US 5790433 A US 5793912 A US 5808798 A US 5808798 A US 5822211 A US 5822128 A	USPAT	Optical pickup apparatus including hologram element 369/44.23 Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser 359/334 Holographic optical system including waveplate and aliasing suppression Method and apparatus for measuring the curvature of wafers with beams of different wavelengths  Optical apparatus for inspecting laser texture 356/359 Laser scanning system with optical transmit/reflect mirror having reduced received signal loss 372/99 Polarization-balanced beamsplitter 359/487 Compact phase-conjugate mirror utilizing four-wave mixing in a loop configuration 359/300 Multi-beam illuminator laser 359/618 Method and apparatus for performing magnetic field measurements using magneto-optic Kerr effect sensors  Prism has a plurality of reflective regions each with a predetermined phase difference 369/109 Azo-dye-doped photorefractive polymer composites for holographic testing and image processing  High efficiency homogeneous polarization converter 359/497 Method and apparatus for providing data age compensation in an Method for controlling laser power in a texturing process Tunable receiver for a wavelength division multiplexing optical Removal of material by radiation applied at an oblique angle 134/1 Nonpolarizing beamsplitter 359/583 Laser texturing apparatus with dual laser paths having an independently Projection lenses for display elements and projection systems comprising same 359/650
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A US 5696383 A 250/559.22 US 5699160 A US 5701326 A US 5719702 A US 5734504 A US 5734504 A US 5734504 A US 5742577 A US 5742577 A US 5744267 A 430/1 US 5757547 A US 5790433 A US 579912 A US 5800625 A US 5808798 A US 582211 A US 5822128 A US 5828489 A	USPAT	Optical pickup apparatus including hologram element 369/44.23 Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser 359/334 Holographic optical system including waveplate and aliasing suppression Method and apparatus for measuring the curvature of wafers with beams of different wavelengths  Optical apparatus for inspecting laser texture 356/359 Laser scanning system with optical transmit/reflect mirror having reduced received signal loss 372/99 Polarization-balanced beamsplitter 359/487  Compact phase-conjugate mirror utilizing four-wave mixing in a loop configuration 359/300 Multi-beam illuminator laser 359/618  Method and apparatus for performing magnetic field measurements using magneto-optic Kerr effect sensors  Prism has a plurality of reflective regions each with a predetermined phase difference 369/109 Azo-dye-doped photorefractive polymer composites for holographic testing and image processing  High efficiency homogeneous polarization converter 359/497 Method and apparatus for providing data age compensation in an Method for controlling laser power in a texturing process  Tunable receiver for a wavelength division multiplexing optical Removal of material by radiation applied at an oblique angle 134/1  Nonpolarizing beamsplitter 359/583  Laser texturing apparatus with dual laser paths having an independently Projection lenses for display elements and projection systems comprising same 359/650  Narrow wavelength polarizing beamsplitter 359/487
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A US 5696383 A US 5696383 A US 5701326 A US 5701326 A US 5719702 A US 5726795 A US 5734504 A US 5734504 A US 5742577 A US 5742577 A US 5742577 A US 5757547 A US 5767972 A US 5790433 A US 5793912 A US 5800625 A US 5808798 A US 582211 A US 5822128 A US 5828489 A US 5830514 A	USPAT	Optical pickup apparatus including hologram element 369/44.23 Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser 359/334 Holographic optical system including waveplate and aliasing suppression Method and apparatus for measuring the curvature of wafers with beams of different wavelengths  Optical apparatus for inspecting laser texture 356/359 Laser scanning system with optical transmit/reflect mirror having reduced received signal loss 372/99 Polarization-balanced beamsplitter 359/487 Compact phase-conjugate mirror utilizing four-wave mixing in a loop configuration 359/300 Multi-beam illuminator laser 359/618 Method and apparatus for performing magnetic field measurements using magneto-optic Kerr effect sensors  Prism has a plurality of reflective regions each with a predetermined phase difference 369/109 Azo-dye-doped photorefractive polymer composites for holographic testing and image processing  High efficiency homogeneous polarization converter 359/497 Method and apparatus for providing data age compensation in an Method for controlling laser power in a texturing process  Tunable receiver for a wavelength division multiplexing optical Removal of material by radiation applied at an oblique angle 134/1  Nonpolarizing beamsplitter 359/583 Laser texturing apparatus with dual laser paths having an independently Projection lenses for display elements and projection systems comprising same 359/650  Narrow wavelength polarizing beamsplitter 359/487  Controlling pulses in a laser texturing tool 425/174.4
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A US 5696383 A 250/559.22 US 5699160 A US 5701326 A US 5719702 A US 5726795 A US 5734504 A US 5742577 A US 5742577 A US 574577 A US 5757547 A US 5767972 A US 57590433 A US 5790433 A US 5808625 A US 5808798 A US 5822211 A US 5822112 A US 58233338 A	USPAT	Optical pickup apparatus including hologram element 369/44.23 Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser 359/334 Holographic optical system including waveplate and aliasing suppression filter 359/15 Method and apparatus for measuring the curvature of wafers with beams of different wavelengths  Optical apparatus for inspecting laser texture 356/359 Laser scanning system with optical transmit/reflect mirror having reduced received signal loss 372/99 Polarization-balanced beamsplitter 359/487 Compact phase-conjugate mirror utilizing four-wave mixing in a loop configuration 359/300 Multi-beam illuminator laser 359/618 Method and apparatus for performing magnetic field measurements using magneto-optic Kerr effect sensors  Prism has a plurality of reflective regions each with a predetermined Azo-dye-doped photorefractive polymer composites for holographic testing and image processing  High efficiency homogeneous polarization converter 359/497 Method and apparatus for providing data age compensation in an Method for controlling laser power in a texturing process  Tunable receiver for a wavelength division multiplexing optical Removal of material by radiation applied at an oblique angle Nonpolarizing beamsplitter 359/583 Laser texturing apparatus with dual laser paths having an independently Projection lenses for display elements and projection systems comprising same 359/650 Narrow wavelength polarizing beamsplitter 359/487 Controlling pulses in a laser texturing tool 425/174.4 Projector 353/20
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A US 5696383 A US 5696383 A US 5701326 A US 5701326 A US 5719702 A US 5726795 A US 5734504 A US 5734504 A US 5742577 A US 5742577 A US 5742577 A US 5757547 A US 5767972 A US 5790433 A US 5793912 A US 5800625 A US 5808798 A US 582211 A US 5822128 A US 5828489 A US 5830514 A	USPAT	Optical pickup apparatus including hologram element 369/44.23 Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser 359/334 Holographic optical system including waveplate and aliasing suppression Method and apparatus for measuring the curvature of wafers with beams of different wavelengths  Optical apparatus for inspecting laser texture 356/359 Laser scanning system with optical transmit/reflect mirror having reduced received signal loss 372/99 Polarization-balanced beamsplitter 359/487 Compact phase-conjugate mirror utilizing four-wave mixing in a loop configuration 359/300 Multi-beam illuminator laser 359/618 Method and apparatus for performing magnetic field measurements using magneto-optic Kerr effect sensors  Prism has a plurality of reflective regions each with a predetermined phase difference 369/109 Azo-dye-doped photorefractive polymer composites for holographic testing and image processing  High efficiency homogeneous polarization converter 359/497 Method and apparatus for providing data age compensation in an Method for controlling laser power in a texturing process Tunable receiver for a wavelength division multiplexing optical Removal of material by radiation applied at an oblique angle 134/1 Nonpolarizing beamsplitter 359/583 Laser texturing apparatus with dual laser paths having an independently Projection lenses for display elements and projection systems comprising same 359/650 Narrow wavelength polarizing beamsplitter 359/487 Controlling pulses in a laser texturing tool 425/174.4 Projector 353/20 Optical fluid for projector prism 349/5
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A US 5696383 A 250/559.22 US 5699160 A US 5701326 A US 5719702 A US 5726795 A US 5734504 A US 5742577 A US 5742577 A US 574577 A US 5757547 A US 5767972 A US 57590433 A US 5790433 A US 5808625 A US 5808798 A US 5822211 A US 5822112 A US 58233338 A	USPAT	Optical pickup apparatus including hologram element 369/44.23 Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser 359/334 Holographic optical system including waveplate and aliasing suppression filter 359/15 Method and apparatus for measuring the curvature of wafers with beams of different wavelengths  Optical apparatus for inspecting laser texture 356/359 Laser scanning system with optical transmit/reflect mirror having reduced received signal loss 372/99 Polarization-balanced beamsplitter 359/487 Compact phase-conjugate mirror utilizing four-wave mixing in a loop configuration 359/300 Multi-beam illuminator laser 359/618 Method and apparatus for performing magnetic field measurements using magneto-optic Kerr effect sensors  Prism has a plurality of reflective regions each with a predetermined phase difference 369/109 Azo-dye-doped photorefractive polymer composites for holographic testing and image processing  High efficiency homogeneous polarization converter 359/497 Method and apparatus for providing data age compensation in an Method for controlling laser power in a texturing process Tunable receiver for a wavelength division multiplexing optical apparatus and method 385/37 Removal of material by radiation applied at an oblique angle Nonpolarizing beamsplitter 359/487 Laser texturing apparatus with dual laser paths having an independently adjusted parameter 700/166 Projection lenses for display elements and projection systems comprising same 359/650 Narrow wavelength polarizing beamsplitter 359/487 Controlling pulses in a laser texturing tool 425/174.4 Projector 353/20 Optical fluid for projector prism 349/5 Internal aperture mask for embedded optics 359/637
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A US 5696383 A 250/559.22 US 5699160 A US 5701326 A US 5719702 A US 5726795 A US 5734504 A US 5742577 A US 5742577 A US 5757547 A US 5767972 A US 5790433 A US 5790433 A US 580825 A US 580825 A US 5808251 A US 5822112 A US 58233338 A US 5833338 A US 5833338 A US 5833338 A US 5838397 A	USPAT	Optical pickup apparatus including hologram element 369/44.23 Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser 359/334 Holographic optical system including waveplate and aliasing suppression Method and apparatus for measuring the curvature of wafers with beams of different wavelengths  Optical apparatus for inspecting laser texture 356/359 Laser scanning system with optical transmit/reflect mirror having reduced received signal loss 372/99 Polarization-balanced beamsplitter 359/487 Compact phase-conjugate mirror utilizing four-wave mixing in a loop configuration 359/300 Multi-beam illuminator laser 359/618 Method and apparatus for performing magnetic field measurements using magneto-optic Kerr effect sensors  Prism has a plurality of reflective regions each with a predetermined phase difference 369/109 Azo-dye-doped photorefractive polymer composites for holographic testing and image processing  High efficiency homogeneous polarization converter 359/497 Method and apparatus for providing data age compensation in an Method for controlling laser power in a texturing process Tunable receiver for a wavelength division multiplexing optical Removal of material by radiation applied at an oblique angle 134/1 Nonpolarizing beamsplitter 359/583 Laser texturing apparatus with dual laser paths having an independently Projection lenses for display elements and projection systems comprising same 359/650 Narrow wavelength polarizing beamsplitter 359/487 Controlling pulses in a laser texturing tool 425/174.4 Projector 353/20 Optical fluid for projector prism 349/5
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A US 5696383 A 250/559.22 US 5699160 A US 5701326 A US 5719702 A US 5726795 A US 5734504 A US 5734504 A US 5742577 A US 5742577 A US 5767972 A US 5767972 A US 5790433 A US 5790433 A US 580625 A US 5808798 A US 5822211 A US 5822211 A US 5822128 A US 5833338 A US 5833338 A US 5833338 A US 5838397 A US 5844722 A	USPAT	Optical pickup apparatus including hologram element  Optical source isolator with polarization maintaining optical fiber and  aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser  359/334 Holographic optical system including waveplate and aliasing suppression Method and apparatus for measuring the curvature of wafers with beams of  Optical apparatus for inspecting laser texture  356/359 Laser scanning system with optical transmit/reflect mirror having Polarization-balanced beamsplitter  359/487 Compact phase-conjugate mirror utilizing four-wave mixing in a loop Multi-beam illuminator laser  359/618 Method and apparatus for performing magnetic field measurements using Method and apparatus for performing magnetic field measurements using  Frism has a plurality of reflective regions each with a predetermined phase difference  369/109 Azo-dye-doped photorefractive polymer composites for holographic testing and image processing  High efficiency homogeneous polarization converter  Method and apparatus for providing data age compensation in an Method for controlling laser power in a texturing process  Tunable receiver for a wavelength division multiplexing optical Removal of material by radiation applied at an oblique angle Nonpolarizing beamsplitter  359/583 Laser texturing apparatus with dual laser paths having an independently Narrow wavelength polarizing beamsplitter  359/487 Controlling pulses in a laser texturing tool  425/174.4 Projector  359/637 Internal aperture mask for embedded optics  359/637
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A US 5691830 A US 5699160 A US 5701326 A US 5719702 A US 5734504 A US 5734504 A US 5734504 A US 5742577 A US 5742577 A US 5767972 A US 5767972 A US 5790433 A US 5793912 A US 5808798 A US 5822211 A US 5822128 A US 5833338 A US 5833338 A US 5838397 A US 5838397 A US 5835507 A	USPAT	Optical pickup apparatus including hologram element Optical source isolator with polarization maintaining optical fiber and Long-pulse-width narrow-bandwidth solid state laser Holographic optical system including waveplate and aliasing suppression Method and apparatus for measuring the curvature of wafers with beams of  Optical apparatus for inspecting laser texture  356/359 Laser scanning system with optical transmit/reflect mirror having Polarization-balanced beamsplitter  359/487  Compact phase-conjugate mirror utilizing four-wave mixing in a loop Multi-beam illuminator laser  359/618 Method and apparatus for performing magnetic field measurements using Prism has a plurality of reflective regions each with a predetermined phase difference Azo-dye-doped photorefractive polymer composites for holographic testing High efficiency homogeneous polarization converter  Method and apparatus for providing data age compensation in an Method for controlling laser power in a texturing process Tunable receiver for a wavelength division multiplexing optical Removal of material by radiation applied at an oblique angle Nonpolarizing beamsplitter  359/837  Removal of material by radiation applied at an oblique angle Narrow wavelength polarizing beamsplitter  359/487  Controlling pulses in a laser texturing tool Projection lenses for display elements and projection systems comprising Narrow wavelength polarizing beamsplitter  359/487  Controlling pulses in a laser texturing tool Projection lenses for display elements and projection systems comprising Narrow wavelength polarizing beamsplitter  359/487  Controlling pulses in a laser texturing tool Projector  353/20  Optical fluid for projector prism  A49/5 Internal aperture mask for embedded optics Scanner system having a dual trace spinner  359/209
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A US 5691830 A US 5699160 A US 5701326 A US 5719702 A US 5726795 A US 5734504 A US 5734504 A US 5742577 A US 5742577 A US 5757547 A US 5767972 A US 5790433 A US 5790433 A US 5808798 A US 5808798 A US 582211 A US 582211 A US 5833338 A US 5833338 A US 5838397 A US 5838397 A US 5844722 A US 5855507 A US 58567271 A	USPAT	Optical pickup apparatus including hologram element Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser Holographic optical system including waveplate and aliasing suppression Method and apparatus for measuring the curvature of wafers with beams of Optical apparatus for inspecting laser texture 356/359 Laser scanning system with optical transmit/reflect mirror having Polarization-balanced beamsplitter 359/487 Compact phase-conjugate mirror utilizing four-wave mixing in a loop configuration Multi-beam illuminator laser 359/618 Method and apparatus for performing magnetic field measurements using Method and apparatus for performing magnetic field measurements using  High efficiency homogeneous polarization converter Method and apparatus for providing data age compensation in an Method for controlling laser power in a texturing process Tunable receiver for a wavelength division multiplexing optical Removal of material by radiation applied at an oblique angle Nonpolarizing beamsplitter 359/583 Laser texturing apparatus with dual laser paths having an independently Projection lenses for display elements and projection systems comprising Narrow wavelength polarizing beamsplitter 359/487 Controlling pulses in a laser texturing tool 425/174.4 Projector 359/487 Controlling pulses in a laser texturing tool 425/174.4 Projector 353/20 Optical fluid for projector prism 349/5 Internal aperture mask for embedded optics 359/637 Scanner system having a dual trace spinner 359/487 Michelson interferometer including a non-polarizing beam splitter 359/192 Michelson interferometer including a non-polarizing beam splitter
356/351 US 5663940 A US 5686990 A 356/350 US 5689363 A US 5691830 A US 5691830 A US 5699160 A US 5701326 A US 5719702 A US 5734504 A US 5734504 A US 5734504 A US 5742577 A US 5742577 A US 5767972 A US 5767972 A US 5790433 A US 5793912 A US 5808798 A US 5822211 A US 5822128 A US 5833338 A US 5833338 A US 5838397 A US 5838397 A US 5835507 A	USPAT	Optical pickup apparatus including hologram element Optical source isolator with polarization maintaining optical fiber and aspheric collimating and focusing lens  Long-pulse-width narrow-bandwidth solid state laser Holographic optical system including waveplate and aliasing suppression Method and apparatus for measuring the curvature of wafers with beams of Optical apparatus for inspecting laser texture 356/359 Laser scanning system with optical transmit/reflect mirror having Polarization-balanced beamsplitter 359/487 Compact phase-conjugate mirror utilizing four-wave mixing in a loop configuration Multi-beam illuminator laser 359/618 Method and apparatus for performing magnetic field measurements using Method and apparatus for performing magnetic field measurements using  High efficiency homogeneous polarization converter Method and apparatus for providing data age compensation in an Method for controlling laser power in a texturing process Tunable receiver for a wavelength division multiplexing optical Removal of material by radiation applied at an oblique angle Nonpolarizing beamsplitter 359/583 Laser texturing apparatus with dual laser paths having an independently Projection lenses for display elements and projection systems comprising Narrow wavelength polarizing beamsplitter 359/487 Controlling pulses in a laser texturing tool 425/174.4 Projector 359/487 Controlling pulses in a laser texturing tool 425/174.4 Projector 353/20 Optical fluid for projector prism 349/5 Internal aperture mask for embedded optics 359/637 Scanner system having a dual trace spinner 359/487 Michelson interferometer including a non-polarizing beam splitter 359/192 Michelson interferometer including a non-polarizing beam splitter

þ

US 5878176 A	USPAT Optical circulator 385/11
US 5892569 A	USPAT Scanning laser ophthalmoscope optimized for retinal microphotocoagulation 351/221
US 5900975 A	USPAT Ghost image extinction in an active range sensor 359/493
US 5914817 A	USPAT Thin film dichroic color separation filters for color splitters in liquid crystal display systems 359/634
US 5923452 A	USPAT Laser satellite communication system 359/172
US 5928713 A	USPAT Method for fabricating a gradient refractive index optical filter 427/10
US 5936253 A	USPAT Position detector and microlithography apparatus comprising same 250/548
	USPAT Controlling a laser texturing tool having two handling stations for disks to be textured and a single texturing station
US 5940304 A	Cost A1 Controlling a laser texturing two nationing stations for disks to be textured and a single texturing station
US 5943129 A	USPAT Fluorescence imaging system 356/318
US 5949546 A	USPAT Interference apparatus for measuring absolute and differential motions of same or different testing surface
356/351	
US 5951891 A	USPAT Optical apparatus for monitoring profiles of textured spots during a disk texturing process 219/121.68
US 5959778 A	USPAT Projection-display apparatus 359/618
US 5966216 A	USPAT On-axix mask and wafer alignment system 356/401
US 5986234 A	USPAT High removal rate laser-based coating removal system 219/121.68
US 5986815 A	USPAT Systems, methods and apparatus for improving the contrast ratio in reflective imaging systems utilizing color splitters
359/634	-,
US 5991033 A	USPAT Interferometer with air turbulence compensation 356/349
US 5991081 A	USPAT Anti-reflection coatings and coated articles 359/589
US 6043883 A	USPAT Wavemeter and an arrangement for the adjustment of the wavelength of the signals of an optical source
356/346	
US 6046858 A	USPAT Light separation and recombination system for an off-axis projector 359/634
US 6052187 A	USPAT Hyperspectral polarization profiler for remote sensing 356/364